

NLSB200W

LED parking lot/shoe box 200W 25000lm



A: Slip Fitter

B: Round/Square Pole

C: Trunnion

F: Wall Mounting

Parameter

Model No.:	NLSB200W	NLSB200W-HV
Power Consumption:	200W	200W
Input Voltage:	100-277Vac	220-480Vac
LED Type	288pcs SMD3030	
Lumens Output:	125lm/w	
CRI	80+	
Color Temperature:	3000K, 4000K, 5000K, 5700K	
Lighting effect	Type 3, Type 4, Type 5	
Power Factor:	>0.90	
IP Rating	IP65 / Wet location	
Working Temp.:	-20° C ~ 50° C	
Storage Temp.:	-40° C ~ 70° C	
Finish:	Brown	
Housing:	Dia-Casting Aluminum	
Diffuser:	Plastic	
Installation:	4 kinds adaptor optional	
IK Rating:	IK08	
Fixture Weight:	7.6kg(16.7lb)	
Lifespan(L70):	>80,000 Hours	

Features

- Input Surge Protection: 6kV, 10kV.
- Changing adaptor Easily.
- Installation Easily.
- DLC Listed.
- ETL cETL Listed.
- 5 years warranty

Optional:



Photocell



Bi-Level Sensor

Adaptor type



Order information


Sample: NLSB200WA-50

Product	Adaptor	Voltage	CCT	Beam Angle	Operation
NLSB200W 200W	A Slip Fitter	Blank 100-277Vac	30 3000K	Blank Type 3	Blank no dimming
	B Round/Square Pole	HV 220-480Vac	40 4000K	(T4) Type 4	(PC) Photocell
	C Trunnion		50 5000K	(T5) Type 5	(Bi-Level) Bi-level Sensor
	F Wall Mounted		57 5700K		

- Finish: Brown (other Finish, please call us for quotation)


Ex-changeable adaptor

- No need to open housing






Convenient installation

- One electrician can complete installation fast.






Photometric




T3
(Type III)




T4FT
(Type IV Forward Throw)




5WQ
(Type V Square Wide)




Installation




A: Slip Filter



B: Square/Round Pole




C: Trunnion




F: Wall Mounted


Slip Filter




Square/Round Pole




Trunnion



Wall mounted



Dimension



A: Slip Filter

B: Square/Round Pole

C: Trunnion

F: Wall Mounted

Packaging

Item	Q'ty/CTN	N.W.	G. W.	CTN Size
NLSB200WA	1	7.8kg(17.2lb)	8.7kg(19.2lb)	64x44x14cm
NLSB200WB	1	7.6kg(16.7lb)	6.4kg(19.0lb)	61x44x14cm
NLSB200WC	1	7.25kg(16.0lb)	8.3kg(18.3lb)	57x44x14cm
NLSB200WF	1	7.25kg(16.0lb)	8.3kg(18.3lb)	53x44x14cm